



## Certificate Of Analysis

**Client:** Kyogle Council (Tradewaste & Environmental)  
**Address:** PO Box 11  
Kyogle NSW 2474  
**Contact:** David Bell  
**Sampled by:** J.Arthur

Final report

**Report no:** 16/1221  
**Date received:** 27/07/2016  
**Testing commenced:** 27/07/2016  
**Date reported:** 8/08/2016  
**No. of samples:** 2  
**Revision no:** 00

\* **Subcontract Laboratory:** Envirolab (NATA2901)

\* **Subcontract Reference:** 150924

Runnymede Road WMF - Leachate

Sampled in accordance with RWL 2.0 to 2.05

Sample No.: Sample description: Date sampled:	Unit	Method	LOR	16/1221/1 Leachate Pond West 1 27/07/2016	16/1221/2 Leachate Pond East 2 27/07/2016
pH	pH	APHA4500H		9.3	7.6
Electrical Conductivity	µS/cm	APHA2510B	1	626	762
Chloride	mg/L	RWL 10.09	2	92	0
Sulphate#	mg/L	RWL 10.10	1	<1	9
Ammonia-N	mg/L	RWL 10.06	0.01	<0.010	5.0
Nitrogen - Nitrate-N	mg/L	RWL 10.05	0.05	<0.050	1.9
Nitrogen - Nitrite-N	mg/L	RWL 10.05	0.01	<0.010	0.25
Nitrogen - Total	mg/L	RWL 10.04	0.1	8.1	8.7
Alkalinity (as CaCO3)	mg/L	APHA2320B	20	181	147
Arsenic (Total)	mg/L	APHA3120B	0.005	<0.005	<0.005
Iron (Total)	mg/L	APHA3120B	0.005	1.4	1.6
Manganese (Total)	mg/L	APHA3120B	0.005	0.12	0.19
Calcium	mg/L	APHA3120B	0.1	18.7	24.7
Potassium	mg/L	APHA3120B	0.1	32	18
Magnesium	mg/L	APHA3120B	0.1	12	15



## Certificate Of Analysis

**Client:** Kyogle Council (Tradewaste & Environmental)

**Report no:** 16/1221

Sample No.: Sample description: Date sampled:	Unit	Method	LOR	16/1221/1 Leachate Pond West 1 27/07/2016	16/1221/2 Leachate Pond East 2 27/07/2016
Sodium	mg/L	APHA3120B	0.15	86	94
Dissolved Organic Carbon*	mg/L	Envirolab	1	56	14
TRHC10-C14*	µg/L	Envirolab	50	<50	<50
TRHC15-C28*	µg/L	Envirolab	100	<100	<100
TRHC29-C36*	µg/L	Envirolab	100	<100	<100

General comments: This report must not be reproduced except in full. This report relates only to items tested as specified herein. Samples analysed between date received and date reported. Accredited for compliance with ISO/IEC 17025. # NATA accreditation does not cover the performance of this service. Tests marked with \* are subcontracted. LOR denotes 'Limit of Reporting'

Specific comments:

A. Hawthorne  
Laboratory Manager  
Approved Authoriser